

SKRIPSI
IDENTIFIKASI KATEGORI RESIKO TERJADINYA
CONTRAST INDUCED NEPHROPATHY (CIN)
PADA PASIEN YANG DILAKUKAN KATETERISASI
JANTUNG
(STUDI DI RUANG CATH LAB RSI AISYIYAH
MALANG)



OLEH :

HALIM WIJAYA
201620420312165

PROGRAM STUDI ILMU KEPERAWATAN
FAKULTAS ILMU KESEHATAN
UNIVERSITAS MUHAMMADIYAH MALANG
2018

**IDENTIFIKASI KATEGORI RESIKO TERJADINYA
CONTRAST INDUCED NEPHROPATHY (CIN)
PADA PASIEN YANG DILAKUKAN KATETERISASI
JANTUNG
(STUDI DI RUANG CATH LAB RSI AISYIYAH
MALANG)**

SKRIPSI

Untuk memenuhi sebagai persyaratan mencapai derajat sarjana

(S.Kep)

Pada program Studi Ilmu Keperawatan Fakultas Ilmu Kesehatan
Universitas Muhammadiyah Malang



OLEH :

**HALIM WIJAYA
201620420312165**

**PROGRAM STUDI ILMU KEPERAWATAN
FAKULTAS ILMU KESEHATAN
UNIVERSITAS MUHAMMADIYAH MALANG
2018**

LEMBAR PENGESAHAN

**IDENTIFIKASI KATEGORI RESIKO TERJADINYA *CONTRAST
INDUCED NEFROPATHY* (CIN) PADA PASIEN YANG DILAKUKAN
KATETERISASI JANTUNG
(STUDI DI RUANG *CATHLAB* RSI AISYIYAH MALANG)**

SKRIPSI

Disusun Oleh:


HALIM WIJAYA

NIM. 201620420312165

Di Ujikan


Pada Tanggal 2 Juli 2018

Penguji I



Indah Dwi Pratiwi, S.Kep., Ns., MNg
NIP. UMM. 114.0804.0455

Penguji II



Faqih Ruhyanudin, S.Kep., Ns., M.Kep., Sp.KMB.
NIP. UMM. 112.0309.0391

Mengetahui,
Dekan Fakultas Ilmu Kesehatan
Universitas Muhammadiyah Malang



Faqih Ruhyanudin, S.Kep., Ns., M.Kep., Sp.KMB.
NIP. UMM. 112.0309.0391

Penguji III



Risa Herlianita, S.Kep., Ns., MSN
NIP. UMM. 112.160.805.83

KATA PENGANTAR

Assalamualaikum, Wr, Wb

Puji dan syukur saya panjatkan kehadiran Allah SWT, berkat rahmat dan bimbingan-Nya saya dapat menyelesaikan Skripsi dengan judul “ Identifikasi kategori resiko terjadinya *Contrast Induced Nefropathy* (CIN) pada pasien yang dilakukan kateterisasi jantung di ruang *cathlab* RSI Aisyiyah Malang ”. Skripsi ini merupakan salah satu syarat untuk memperoleh gelar sarjana keperawatan (S. Kep) pada Program Studi Ilmu Keperawatan Fakultas Ilmu Kesehatan Universitas Muhammadiyah Malang.

Bersamaan dengan ini perkenalkanlah saya mengucapkan terima kasih yang sebesar – besarnya dengan hati yang tulus kepada :

1.Faqih Ruhyanudin, S. Kep, Ns., M. Kep., Sp. KMB selaku

Dekan Fakultas Ilmu Kesehatan Universitas Muhammadiyah

Malang

2.Nur Lailatul Masruroh, S. Kep., Ns., MNS selaku Ketua

Program Studi Ilmu Keperawatan Fakultas Ilmu Kesehatan

Universitas Muhammadiyah Malang

3.Indah Dwi Pratiwi , S. Kep., NS., MNg selaku pembimbing I

yang telah menyediakan waktu, tenaga dan pikiran untuk

mengarahkan saya dalam penyusunan skripsi ini.

Dan semua pihak yang telah membantu penyelesaian Skripsi

ini. Mohon maaf atas segala kesalahan dan ketidaksopanan yang

mungkin telah saya perbuat. Semoga Allah SWT senantiasa

memudahkan setiap langkah – langkah kita menuju kebaikan

dan selalu menganugerahkan kasih sayang-Nya untuk kita semua.

Malang, 29 Juni

2018

Penulis

DAFTAR ISI

Halaman Juduli
Lembar Persetujuan.....	iii
Lembar Pengesahan.....iv
Lembar Persembahan.....v
Lembar Pernyataan Keaslian Penelitian.....	vi
Kata Pengantar.....	vii
Abstract.....viii
Daftar Isi.....x
Daftar Tabel.....	xiii
Daftar Gambar.....	xiv
Daftar lampiran.....	xv
BAB 1 PENDAHULUAN	1
1.1. Latar Belakang	1
1.2. Rumusan Masalah	4

1.3. Tujuan.....	4
1.4. Manfaat	4
1.4.1. Manfaat Teoritis.....	4
1.4.2. Manfaat Praktisi	5
1.5 Keaslian Penelitian	5
BAB II TINJAUAN PUSTAKA.....	7
2.1. Kateterisasi Jantung	7
2.1.1. Definisi.....	7
2.1.2. Macam Kateterisasi Jantung.....	7
2.1.3. Indikasi.....	8
2.1.4. Kontraindikasi Kateterisasi Jantung.....	9
2.1.5. Komplikasi Angiography Koroner.....	10
2.1.6. Lokasi Akses	10
2.1.7. Presiapan Pre Tindakan.....	11
2.1.8. Teknik Anastesi.....	12
2.1.9. Teknik Memasukkan Kateter.....	12
2.1.10. Teknik Pelaksanaan.....	12
2.2. Contrast Induced Nephropathy (CIN).....	14
2.2.1. Definisi.....	14
2.2.2. Epidemiologi	15
2.2.3. Patogenesis.....	17
2.2.4. Disfungsi Endotel.....	18
2.2.5. Toksisitas Tubulus.....	19
2.2.6. Oksigen Radikal Bebas.....	19

2.2.7. Gambaran Patologi.....	20
2.2.8. Faktor Resiko.....	21
2.2.9. Stratifikasi Resiko.....	27
2.2.10. Studi Kardiovaskuler Pada Pasien CIN.....	30
2.2.11. Tindakan Pencegahan.....	31
2.2.12. Penatalaksanaan.....	35
BAB III KERANGKA KONSEPTUAL.....	36
3.1.Kerangka Konseptual.....	36
BAB IV METODE PENELITIAN.....	37
4.1.Desain Penelitian	37
4.1.1. Kerangka Penelitian	38
4.2. Populasi dan Sampel	39
4.2.1. Populasi.....	39
4.2.2. Sampel	39
4.2.3 Teknik Pengambilan Sampel.....	39
4.3. Definisi Operasional	40
4.4. Tempat Penelitian.....	40
4.5. Waktu Penelitian.....	40
4.6. Metode Pengumpulan Data.....	40
4.7. Prosedur Pengolahan Data.....	42
4.7.1. Pengolahan Data.....	42
4.8. Analisa Data.....	43
4.9. Etika Penelitian.....	44
BAB V HASIL DAN ANALISA DATA.....	45

5.1.....	Karakteristik Sampel	
.....		45
5.3. Hasil Penelitian		47
BAB VI PEMBAHASAN.....		48
6.1.....	Interpretasi dan Diskusi Hasil	
.....		48
6.2. Keterbatasan Penelitian		50
6.3 Implikasi untuk keperawatan.....		50
BAB VII KESIMPULAN DAN SARAN.....		51
7.1.....	Kesimpulan	
.....		51
7.2. Saran		
.....		51
7.2.1 Bagi Peneliti dan Penelitian Selanjutnya.....		51
7.2.2 Bagi Profesi Keperawatan dan Institusi Rumah		
Sakit.....		52
DAFTAR PUSTAKA		54
LAMPIRAN.....		60

DAFTAR LAMPIRAN

Lampiran 1.....	Daftar Pustaka	
.....		53
Lampiran 2.....	Kuesioner Observasi Mehran Score	
.....		59

Lampiran 3.....	Hasil Deteksi Plagiasi	
.....		60
Lampiran 4.....	Log Book Penelitian	
.....		62
Lampiran 5.....	Surat Ijin Studi Pendahuluan Dan Penelitian	
.....		63
Lampiran 6.....	Surat Telah Melakukan Penelitian	
.....		64
Lampiran 7.....	Lembar Permohonan <i>Informed Consent</i>	
.....		65
Lampiran 8.....	Lembar Tabulasi Responden	
.....		66

DAFTAR PUSTAKA

Abellás-Sequeiros, R. A., Raposeiras-Roubin, S., Abu-Assi, E., González-Salvado, V., Iglesias-Álvarez, D. 2., Redondo-Diéguéz, A., ... & González-Juanatey, J. R. (2016). Mehran contrast nephropathy risk score: is it still useful 10 years later?. *Journal of cardiology*, 67(3), 262-267.

Andrilifesaver.blogspot.co.id/2017/09/intraaortic-ballon-pump-iabp-definisi.html?m=1

Arikunto, S. (2002). Metodologi penelitian. *Penerbit PT. Rineka Cipta. Jakarta.*

Aspelin, P., Aubry, P., Fransson, S. G., Strasser, R., Willenbrock, R., & Berg, K. J. (2003). Nephrotoxic effects in high-risk patients undergoing angiography. *New England Journal of Medicine*, 348(6), 491-499.

Atkins, J. L. (1986). Effect of sodium bicarbonate preloading on ischemic renal failure. *Nephron*, 44(1), 70-74.

Baker, C. S., Wragg, A., Kumar, S., De Palma, R., Baker, L. R., & Knight, C. J. (2003). A rapid protocol for the prevention of contrast-induced renal dysfunction: the RAPPID study. *Journal of the American College of Cardiology*, 41(12), 2114-2118.

Barrett, B. J., Katzberg, R. W., Thomsen, H. S., Chen, N., Sahani, D., Soulez, G., ... & Nelson, R. (2006). Contrast-induced nephropathy in patients with chronic kidney disease undergoing computed tomography: a double-blind comparison of iodixanol and iopamidol. *Investigative radiology*, 41(11), 815-821.

Bartholomew, B. A., Harjai, K. J., Dukkupati, S., Boura, J. A., Yerkey, M. W., Glazier, S., ... & O'Neill, W. W. (2004). Impact of nephropathy after percutaneous coronary intervention and a method for risk stratification. *The American journal of cardiology*, 93(12), 1515-1519.

Brinker, J. A., Davidson, C. J., & Laskey, W. (2005). Preventing in-hospital cardiac and renal complications in high-risk PCI patients. *European Heart Journal Supplements*, 7(suppl G), G13-G24.

Barrett, B. J., & Parfrey, P. S. (2006). Preventing nephropathy induced by contrast

medium. *New England Journal of Medicine*, 354(4), 379-386.

Barrett, B. J., & Carlisle, E. J. (1993). Metaanalysis of the relative nephrotoxicity of high-and-low-osmolality iodinated contrast media. *Radiology*, 188(1), 171-178.

Bettmann, M. A. (2005). Contrast medium-induced nephropathy: critical review of the existing clinical evidence. *Nephrology Dialysis Transplantation*, 20(suppl_1), i12-i17.

Chong, E., Poh, K. K., Shen, L., Chai, P., & Tan, H. C. (2009). Diabetic patients with normal baseline renal function are at increased risk of developing contrast-induced nephropathy post-percutaneous coronary intervention. *Singapore medical journal*, 50(3), 250.

Dangas, G., Iakovou, I., Nikolsky, E., Aymong, E. D., Mintz, G. S., Kipshidze, N. N., ... & Leon, M. B. (2005). Contrast-induced nephropathy after percutaneous coronary interventions in relation to chronic kidney disease and hemodynamic variables. *American Journal of Cardiology*, 95(1), 13-19.

Detrenis, S., Meschi, M., Musini, S., & Savazzi, G. (2005). Lights and shadows on the pathogenesis of contrast-induced nephropathy: state of the art. *Nephrology Dialysis Transplantation*, 20(8), 1542-1550.

Diaz-Sandoval, L. J., Kosowsky, B. D., & Losordo, D. W. (2002). Acetylcysteine to prevent angiography-related renal tissue injury (the APART trial). *The American journal of cardiology*, 89(3), 356-358.

Finn, W. F. (2006). The clinical and renal consequences of contrast-induced nephropathy. *Nephrology Dialysis Transplantation*, 21(suppl 1), i2-i10.

Gami, A. S., & Garovic, V. D. (2004, February). Contrast nephropathy after coronary angiography. In *Mayo Clinic Proceedings* (Vol. 79, No. 2, pp. 211-219). Elsevier.

Gleeson, T. G., & Bulugahapitiya, S. (2004). Contrast-induced nephropathy. *American Journal of Roentgenology*, 183(6), 1673-1689.

- Gleeson, T. G., & Bulugahapitiya, S. (2004). Contrast-induced nephropathy. *American Journal of Roentgenology*, 183(6), 1673-1689.
- Goldenberg, I., & Matetzky, S. (2005). Nephropathy induced by contrast media: pathogenesis, risk factors and preventive strategies. *Canadian Medical Association Journal*, 172(11), 1461-1471.
- Gruberg, L., Mehran, R., Dangas, G., Mintz, G. S., Waksman, R., Kent, K. M., ... & Leon, M. B. (2001). Acute renal failure requiring dialysis after percutaneous coronary interventions. *Catheterization and Cardiovascular Interventions*, 52(4), 409-416.
- Gleeson, T. G., & Bulugahapitiya, S. (2004). Contrast-induced nephropathy. *American Journal of Roentgenology*, 183(6), 1673-1689.
- Goldfarb, S., McCullough, P. A., McDermott, J., & Gay, S. B. (2009, February). Contrast-induced acute kidney injury: specialty-specific protocols for interventional radiology, diagnostic computed tomography radiology, and interventional cardiology. In *Mayo Clinic Proceedings* (Vol. 84, No. 2, pp. 170-179). Elsevier.
- Heyman, S. N., Brezis, M., & Cronin, R. E. (2007). Radiocontrast media-induced acute renal failure. *Disease of the kidney & urinary tractus*. 8th ed. Philadelphia: Churchill Livingstone, 45, 1102-1117.
- Iakovou, I., Dangas, G., Mehran, R., Lansky, A. J., Ashby, D. T., Fahy, M., ... & Stone, G. W. (2003). Impact of gender on the incidence and outcome of contrast-induced nephropathy after percutaneous coronary intervention. *The Journal of invasive cardiology*, 15(1), 18-22.
- Katzberg, R. W. (1997). Urography into the 21st century: new contrast media, renal handling, imaging characteristics, and nephrotoxicity. *Radiology*, 204(2), 297-312.
- Katzberg, R. W., & Barrett, B. J. (2007). Risk of iodinated contrast material-induced nephropathy with intravenous administration. *Radiology*, 243(3), 622-628.
- Lindinger, M. I., Franklin, T. W., Lands, L. C., Pedersen, P. K., Welsh, D. G., & Heigenhauser, G. J. (2000). NaHCO₃ and

KHCO₃ ingestion rapidly increases renal electrolyte excretion in humans. *Journal of Applied Physiology*, 88(2), 540-550

Lindsay, J., Apple, S., Pinnow, E. E., Gevorkian, N., Gruberg, L., Satler, L. F., ... &

Waksman, R. (2003). Percutaneous coronary intervention-associated nephropathy foreshadows increased risk of late adverse events in patients with normal baseline serum creatinine. *Catheterization and Cardiovascular Interventions*, 59(3), 338-343.

Lindsay, J., Canos, D. A., Apple, S., Pinnow, E., Aggrey, G. K., & Pichard, A. D. (2004). Causes of acute renal dysfunction after percutaneous coronary intervention and comparison of late mortality rates with postprocedure rise of creatine kinase-MB versus rise of serum creatinine. *American Journal of Cardiology*, 94(6), 786-789.

Li, W. H., Li, D. Y., Han, F., Zhang, Y. B., & Zhu, H. (2013). Impact of anemia on

contrast-induced nephropathy (CIN) in patients undergoing percutaneous coronary interventions. *International urology and nephrology*, 45(4), 1065-1070.

McCullough, P. (2006). Outcomes of contrast-induced nephropathy: experience in patients undergoing cardiovascular intervention. *Catheterization and Cardiovascular Interventions*, 67(3), 335-343.

McCullough, P. A., Adam, A., Becker, C. R., Davidson, C., Lameire, N., Stacul, F., & Tumlin, J. (2006). Risk prediction of contrast-induced nephropathy. *American Journal of Cardiology*, 98(6), 27-36.

McCullough, P. A. (2008). Contrast-induced acute kidney injury. *Journal of the American College of Cardiology*, 51(15), 1419-1428.

McCullough, P. A., Wolyn, R., Rocher, L. L., Levin, R. N., & O'Neill, W. W. (1997). Acute renal failure after coronary intervention: incidence, risk factors, and relationship to mortality. *The American journal of medicine*, 103(5), 368-375.

Mehran, R., & Nikolsky, E. (2006). Contrast-induced nephropathy: definition, epidemiology, and patients at risk. *Kidney International*, 69, S11-S15.

- Mehran, R., Aymong, E. D., Nikolsky, E., Lasic, Z., Iakovou, I., Fahy, M., ... & Leon, M. B. (2004). A simple risk score for prediction of contrast-induced nephropathy after percutaneous coronary intervention: development and initial validation. *Journal of the American College of Cardiology*, 44(7), 1393-1399.
- Meschi, M., Detrenis, S., Musini, S., Strada, E., & Savazzi, G. (2006). Facts and fallacies concerning the prevention of contrast medium-induced nephropathy. *Critical care medicine*, 34(8), 2060-2068
- Muhammad, U.,(2013). Angiografi Koroner. CDK-207, 40(8)626-628
- Morton J.K.(2010).The Cardiac Catheterization Handbook. *Philadelphia: Saunders Elsevier*.Thomsen, H. S., & Morcos, S. K. (2000). Radiographic contrast media. *BJU International*, 86(s1), 1-10.
- Mujtaba, S. H., Ashraf, T., Mahmood, S. N., & Anjum, Q. (2010). Assessment of renal insufficiency in patients with normal serum creatinine levels undergoing angiography. *JPMA- Journal of the Pakistan Medical Association*, 60(11), 915.
- Notoatmodjo, S. (2012). Metodologi penelitian kesehatan. Jakarta: Rieneka Cipta.
- Nursalam. (2010). Konsep & penerapan Metodologi Penelitian Ilmu Keperawatan. Jakarta: Salemba Medika.
- Pannu, N., Wiebe, N., Tonelli, M., & Alberta Kidney Disease Network. (2006). Prophylaxis strategies for contrast-induced nephropathy. *Jama*, 295(23), 2765-2779.
- Persson, P. B., Hansell, P., & Liss, P. (2005). Pathophysiology of contrast medium-induced nephropathy. *Kidney international*, 68(1), 14-22.
- Postkesehatan.blogspot.co.id/2012/05/pengertian-anemia-menurut-who.html?m=1
- Price, S. A., & Wilson, L. M. (2005). *Patofisiologi konsep klinis proses-proses penyakit*. Jakarta: EGC, 7.
- Ramandika, (2012). Hubungan faktor-faktor resiko mayor penyakit jantung koroner dengan skor pembuluh darah koroner dari hasil angiografi koroner di RSUP Dr. Kaiadi Semarang, (skripsi) Undip Semarang

- Rich, M. W., & Crecelius, C. A. (1990). Incidence, risk factors, and clinical course of acute renal insufficiency after cardiac catheterization in patients 70 years of age or older: a prospective study. *Archives of Internal Medicine*, 150(6), 1237-1242.
- Rihal, C. S., Textor, S. C., Grill, D. E., Berger, P. B., Ting, H. H., Best, P. J., ... & Garratt, K. N. (2002). Incidence and prognostic importance of acute renal failure after percutaneous coronary intervention. *circulation*, 105(19), 2259-2264.
- Rokhaeni, H., Purnamasari, E., & Rahayoe, A. U. (2001). *Buku Ajar Keperawatan Kardiovaskuler*. Jakarta: Bidang Diklat RS.
- Ribichini, F., Graziani, M., Gambaro, G., Pasoli, P., Pighi, M., Pesarini, G., ... & Lupo, A. (2010). Early creatinine shifts predict contrast-induced nephropathy and persistent renal damage after angiography. *The American journal of medicine*, 123(8), 755-763.
- Rudnick, M. R., Goldfarb, S., Wexler, L., Ludbrook, P. A., Murphy, M. J., Halpern, E.F., ... & VanFossen, D. B. (1995). Nephrotoxicity of ionic and nonionic contrast media in 1196 patients: a randomized trial. *Kidney international*, 47(1), 254-261.
- Sanjaya, S., & Suwitra, K. Patofisiologi dan penatalaksanaan nefropathy radiokontras. *Jurnal penyakit dalam*. 10(2)
- Shoukat, S., Gowani, S. A., Jafferani, A., & Dhakam, S. H. (2010). Contrast-induced nephropathy in patients undergoing percutaneous coronary intervention. *Cardiology research and practice*, 2010.
- Slocum, N. K., Grossman, P. M., Moscucci, M., Smith, D. E., Aronow, H. D., Dixon, S.R.,... & Gurm, H. S. (2012). The changing definition of contrast-induced nephropathy and its clinical implications: insights from the Blue Cross Blue Shield of Michigan Cardiovascular Consortium (BMC2). *American heart journal*, 163(5), 829-834.
- Sugiyono, D. R. (2006). Statistika untuk penelitian. *Bandung: CV Alfabeta*.
- Schillinger, M., Haumer, M., Mlekusch, W., Schlerka, G., Ahmadi, R., & Minar, E.

- (2001). Predicting renal failure after balloon angioplasty in high-risk patients. *Journal of Endovascular Therapy*, 8(6), 609-614.
- Solomon, R., Werner, C., Mann, D., D'Elia, J., & Silva, P. (1994). Effects of saline, mannitol, and furosemide on acute decreases in renal function induced by radiocontrast agents. *New England Journal of Medicine*, 331(21), 1416-1420.
- Solomon, R. (1998). Contrast-medium-induced acute renal failure. *Kidney international*, 53(1), 230-242.
- Tepel, M., Aspelin, P., & Lameire, N. (2006). Contrast-induced nephropathy: a clinical and evidence-based approach. *Circulation*, 113(14), 1799-1806.
- Thomsen, H. S. (2003). Guidelines for contrast media from the European Society of Urogenital Radiology. *American Journal of Roentgenology*, 181(6), 1463-1471.
- Thomsen, H. S., & Morcos, S. K. (2006). Contrast-medium-induced nephropathy: is there a new consensus? A review of published guidelines. *European radiology*, 16(8), 1835-1840.
- Toprak, O., & Cirit, M. (2006). Risk factors for contrast-induced nephropathy. *Kidney and Blood Pressure Research*, 29(2), 84-93.
- Ultramari, F. T., Bueno, R. D. R. L., Cunha, C. L. P. D., Andrade, P. M. P. D., Nercolini, D. C., Tarastchuk, J. C. E., ... & Guérios, Ê. E. (2006). Contrast media-induced nephropathy following diagnostic and therapeutic cardiac catheterization. *Arquivos brasileiros de cardiologia*, 87(3), 378-390.
- Wolak, T., Aliev, E., Rogachev, B., Baumfeld, Y., Cafri, C., Abu-Shakra, M., & Novack, V. (2013). Renal safety and angiotensin II blockade medications in patients undergoing non-emergent coronary angiography: a randomized controlled study. *The Israel Medical Association journal: IMAJ*, 15(11), 682-687.
- Wong, G. T. C., & Irwin, M. G. (2007). Contrast-induced nephropathy. *British journal of anaesthesia*, 99(4), 474-483.

- Weisberg, L. S., Kurnik, P. B., & Kurnik, B. R. (1994). Risk of radiocontrast nephropathy inpatients with and without diabetes mellitus. *Kidney international*, 45(1), 259-265.
- Yahya, A.F., 2010, Menaklukan pembuluh no 1 :Mencegah dan Mengatasi Penyakit Jantung Koroner Secara Tepat, PT Mizan Pustaka, Bandung
- Yuniadi, Y., & Ningrum, N. R. (2008). Risk factors and incidence of contrast induced nephropathy following coronary intervention. *Medical Journal of Indonesia*, 17(2), 131.